



Certificate

Indoor Air Comfort Gold

Unfaced, paper and aluminum faced Rock Mineral Wool with ECOSE® Technology

Certified Product

Knauf Insulation

Applicant

The product complies with Indoor Air Comfort Gold requirements for product type, version 7.0 (2020). These include both inspections of factory production according to DIN 18200 and VOC testing according to EN 16516 by an ISO 17025 accredited laboratory, at regular interval.

Indoor Air Comfort Gold certification ensures that low product emission requirements are fulfilled and is a sign of the applicant's focus on quality and contribution to a healthy indoor environment.

Compliance with Indoor Air Comfort Gold means compliance with VOC requirements on low emitting products of:

France VOC class A+, Germany (AgBB/ABG), BREEAM international, BREEAM NOR, BREEAM NL, LEED, WELL Building, SKA Rating, French HQE certification, Italian CAM Edilizia, BVB (Sweden), Eco Product Norway, DGNB, Blue Angel DE-UZ 132, M1, Danish Indoor Climate Label, very low emitting products according to EN 16798-1, Singapore Green Label, GreenTag Australia

Product type: Insulation
Certificate number: IACG-323-02-01-2020
Issue date: 23 November 2020
Validity date: 23 November 2025

Thomas Neuhaus
Head of Certification Body

This certificate is valid as specified if regular surveillance and testing is done.

eurofins

Product Testing



Appendix to Certificate IACG-323-02-01-2020

Knauf Insulation

receives the Indoor Air Comfort Gold certificate with validity 23 November 2025

for below product group produced at sites as listed:

Product group: Unfaced, paper and aluminum faced Rock Mineral Wool with ECOSE® Technology

Product type: Insulation

Production sites:

Novi Marof, Croatia
Surdulica, Serbia
Queensferry, UK

The products in this group are based on identical or similar recipe and are produced under equivalent conditions. Grouping of the products and inspection of the production process is part of the Indoor Air Comfort Gold certification. A worst-case product, which is representative for the whole group, is being tested frequently.