

## ROCKSILK® SOFFIT LINERBOARD FIXINGS

May 2022



### APPLICATIONS



### DESCRIPTION

A range of mechanical fixings designed for installing RocksilK® Soffit Linerboard Standard and Extra onto reinforced concrete or composite steel ceilings.

The tube washers and metal retaining discs are available in black and off white to match the colour of the facings on RocksilK® Soffit Linerboard Standard and Extra.

### PERFORMANCE

#### RocksilK® Soffit Linerboard Concrete Screws


Material	Steel SAE1022 case hardened
Head type	Multiple layer organic
Coating	Oval, TX25 recess
Drilling capacity	Up to 0.7mm S275 steel
Pull-out strength	Concrete C25/30 – 1.98kN Concrete C25/40 – 2.24kN
European Technical Assessment	ETA_15-0406_Version_2017-01-13

#### RocksilK® Soffit Linerboard Tube Washers

Material	Polypropylene
Pull over value	1.55kN
Head size	75mm
European Technical Assessment	ETA_15-0406_Version_2017-01-13

#### RocksilK® Soffit Linerboard Pressure Plates

Material	Galvanised Steel
Hole size	6.5mm
Head size	70mm
European Technical Assessment	ETA_15-0406_Version_2017-01-13



### CERTIFICATIONS, CLASSIFICATIONS AND INDUSTRY STANDARDS

# ROCKSILK® SOFFIT LINERBOARD FIXINGS

May 2022

## SPECIFICATIONS

### Rock silk® Soffit Linerboard Concrete Screws

Length	Pack Quantity	Nominal Diameter	Product Code
75mm	100	6.1mm	728762
85mm	100	6.1mm	728761
100mm	100	6.1mm	728760
175mm	100	6.1mm	728767
200mm	100	6.1mm	728768
225mm	100	6.1mm	728769
250mm	100	6.1mm	728770
275mm	100	6.1mm	728774

### Rock silk® Soffit Linerboard Tube Washers

Length	Pack Quantity	Tube Diameter	Product Code
100mm White	800	13.6mm	728754
125mm White	700	13.6mm	728755
150mm White	600	13.6mm	728756
200mm White	500	13.6mm	728759
100mm Black	800	13.6mm	728712
125mm Black	700	13.6mm	728751
150mm Black	600	13.6mm	728752
200mm Black	500	13.6mm	728753

### Rock silk® Soffit Linerboard Pressure Plates

Colour	Pack Quantity	Product Code
White	100	728765
Black	100	728763


## ROCKSILK® SOFFIT LINERBOARD FIXINGS

May 2022

### FIXING PATTERNS

Rocksilk® Soffit Linerboard Standard thickness	Perimeter fix - plastic to concrete		Centre fix – metal to concrete	
	Tube	Screw	Pressure Plate	Screw
130mm	100mm Black x 4	85mm x 4	70mm Black	175mm
160mm	125mm Black x 4	85mm x 4	70mm Black	200mm
185mm	150mm Black x 4	85mm x 4	70mm Black	225mm
220mm	200mm Black x 4	75mm x 4	70mm Black	250mm

Rocksilk® Soffit Linerboard Extra thickness	Perimeter fix - plastic to concrete		Centre fix – metal to concrete	
	Tube	Screw	Pressure Plate	Screw
136mm	100mm White x 4	100mm x 4	70mm White	175mm
166mm	125mm White x 4	100mm x 4	70mm White	200mm
191mm	150mm White x 4	100mm x 4	70mm White	225mm
226mm	200mm White x 4	85mm x 4	70mm White	275mm



### Knauf Insulation Ltd

PO Box 10, Stafford Road, St.Helens, Merseyside, WA10 3NS. UK

Customer Service: 01744 766 766      Technical Support Team: 01744 766 666

All rights reserved, including those of photomechanical reproduction and storage in electronic media. Extreme caution was observed when putting together and processing the information, texts and illustrations in this document. Nevertheless, errors cannot quite be ruled out. The publisher and editors cannot assume legal responsibility or any liability whatsoever for incorrect information and the consequences thereof. The publisher and editors will be grateful for improvement suggestions and details of possible errors pointed out.

KINE4690DAT-V0522

challenge.  
create.  
care.